


## POLOLU ALUMINUM SCOOTER WHEEL

### ADAPTER FOR 5MM SHAFT

## USER'S GUIDE

### USING THE ADAPTER



Exploded view of the scooter wheel adapter assembly with a gearmotor  
and scooter wheel.

The adapter is straightforward to use when assembled in the proper order. First, slide the threaded shaft mount onto your motor's output shaft with the narrower part facing away from the motor and tighten the set screws. (If your motor has a D-shaft, make sure you align the set screws with the flattened portion of the shaft.) Once this piece is secured, press the wheel directly onto it. Next, align the holes of the washer with the threaded holes of the shaft mount and press the washer into the recess on the other side of the wheel. The diameter of the washer is slightly smaller than that of the threaded shaft mount, so the orientation of the washer should be easier to adjust if the

holes are not quite aligned. Finally, insert and tighten the M3 machine screws, making sure to tighten them evenly rather than one at a time.



The machined piece of the 5 mm scooter wheel adapter mounted to the output shaft of a stepper motor.




A stepper motor connected to a scooter wheel by the 5 mm scooter wheel adapter.


**Note:** For some wheels, it might be difficult to push the washer into the wheel with your bare hands. In such cases, an alternative approach is to initially use longer M3 screws to engage the threads of the machined piece. You can then tighten the parts together, making sure to tighten the three screws evenly so that the washer stays parallel to the threaded piece. When the longer M3 screws cannot be tightened further, you can replace them with the included 14 mm screws and finish the assembly.

## DIMENSIONS

This adapter is intended to work with motors with 5 mm diameter output shafts, and it fits most wheels that are compatible with standard 608 ball bearings. Please see the dimensions below to confirm that it will work with a particular wheel.



Dimension diagram of the Pololu aluminum scooter wheel adapter threaded mount for 5 mm shafts. Units are mm over [inches].



Dimension diagram of the Pololu aluminum scooter wheel adapter flat washer.

Units are mm over [inches].